UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/519,784	12/29/2004	Michael Kuhn	47833	3052	
1609 ROVI ANCE	7590 06/04/200 ABRAMS, BERDO &		EXAMINER		
1300 19TH ST		EXAMINER CULBRETH, ERIC D ART UNIT PAPER NUMBER 3616			
SUITE 600 WASHINGTO	N DC 20036				
WHOIIINGTO	11,, 100 20000				
			MAIL DATE	DELIVERY MODE	
			06/04/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	A . I' . I'	A 12 44 - 3				
	Application No.	Applicant(s)				
	10/519,784	KUHN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Eric Culbreth	3616				
The MAILING DATE of this communication appreciation for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA: - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w. - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tin iill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	·			
Status						
1) Responsive to communication(s) filed on	_ ,					
2a) This action is FINAL . 2b) This	This action is FINAL . 2b) This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.				
Disposition of Claims						
4) Claim(s) 1-10 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw	vn from consideration.					
5) Claim(s) is/are allowed.						
6) Claim(s) is/are rejected			٠,			
7)⊠ Claim(s) <u>1-10</u> is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers	•					
9)⊠ The specification is objected to by the Examine	r.	•				
10) The drawing(s) filed on is/are: a) acce		Examiner.				
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12) △ Acknowledgment is made of a claim for foreign a) △ All b) ☐ Some * c) ☐ None of:	priority under 35 U.S.C. § 119(a)-(d) or (f).				
1. Certified copies of the priority documents	s have been received.					
2. Certified copies of the priority documents	s have been received in Applicat	ion No				
Copies of the certified copies of the prior		ed in this National Stage				
application from the International Bureau	• • • • • • • • • • • • • • • • • • • •					
* See the attached detailed Office action for a list	or the certified copies not receive	3 0.				
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail D		• .			
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 12/29/04.	5) Notice of Informal F 6) Other:	Patent Application				

Application/Control Number: 10/519,784 Page 2

Art Unit: 3616

DETAILED ACTION

Conclusion

- 1. This application is in condition for allowance except for the following formal matters:
- a. The abstract of the disclosure is objected to because it should be on a clean sheet of paper (i.e., the title and "3. FIG. 1." should be deleted). Correction is required. See MPEP § 608.01(b).
 - b. On page 1, 2nd paragraph, line 2 "a" should precede "suspension".
 - c. On page 1, 2nd paragraph, line 3 "a" should precede "suspension".
- d. The specification should not refer to the claims in describing the invention (page 3, lines 16 and 19; page 3, next to last line).
 - e. page 3, line 19 to page 4, line 2 is an incomplete sentence.
 - f. On page 6, last line "42 to" should be "42 of".
- g. There is no brief description of the drawings, detailed description section, etc.
- h. On page 5, 3rd paragraph, line 3 and page 6, line 8, "axletree" is not understood.
 - i. On page 6, line 2 from the end of the page, "a" should precede "reset".
 - j. In claim 1, line 5 there is no antecedent basis for "the blocked position".
- k. In claim 1, next to last line "may be connected" is indefinite (anything "may be" done).
 - I. In claim 1, next to last line "a" should precede "respective".

Application/Control Number: 10/519,784

Art Unit: 3616

m. The last three lines of claim 1 are not accurate (valve 50 is not in line 38 in Figure 1).

- n. In claim 4, line 3 there is no antecedent basis for "the tank" and "T" should be in parenthesis.
- o. In the last two lines of claim 4, there is no antecedent basis for "the second pilot-actuated line" (that was recited in claim 3).
- p. In claim 5, lines 2-3 there is no antecedent basis for "the first pilot-actuated line" as that was recited in claim 3.
 - q. In claim 5, line 3, there is no antecedent basis for "the secondary branch".
- r. In claim 5, lines 3-4 "wherein there is connected to the secondary branch...to this proportional-pressure control valve" does not make grammatical sense.
 - s. Claim 6 is not accurate to the invention as disclosed.
- t. In claim 7, line 2, there is no antecedent basis for "the first pilot-actuated line" (that was recited in claim 3).

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric Culbreth whose telephone number is 571/272-6668. The examiner can normally be reached on Monday-Thursday, 9:00-6:30.

Art Unit: 3616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Dickson can be reached on 571/272-6669. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> Eric Culbreth Primary Examiner Art Unit 3616 Enc Celleth

ec